IN THE CLAIMS:

This listing of the claims will replace all prior versions and listings of the claims in the application:

1. (Currently Amended) A method for <u>use in frequency selection in a</u> frequency hopping cordless telephone system employing a predetermined frame length, comprising:

identifying active slots in a frame; and

determining a duration of carrier usage based on durations of numbers of said active slots.

- 2. (Previously Presented) A method in accordance with claim 1, said predetermined frame length having a duration about ten milliseconds.
- 3. (Previously Presented) A method in accordance with claim 2, said slots comprising transmit and receive slots each having a duration of 833 microseconds.
- 4. (Original) A method in accordance with claim 3, further comprising limiting a use of a particular carrier to less than 400 milliseconds every thirty seconds.
- 5. (Currently Amended) A system for <u>use in frequency selection</u> in a frequency hopping cordless telephone system employing a predetermined frame length, comprising:

means for identifying active slots in a frame; and

means for determining a duration of carrier usage based on durations of numbers of said active slots.

6. (Previously Presented) A system in accordance with claim 5, said

predetermined frame length having a duration about ten milliseconds.

- 7. (Previously Presented) A system in accordance with claim 6, said slots comprising transmit and receive slots each having a duration of 833 microseconds.
- 8. (Original) A system in accordance with claim 7, further comprising limiting a use of a particular carrier to less than 400 milliseconds every thirty seconds.
- 9. (Currently Amended) A device for <u>use in frequency selection</u> in a frequency hopping cordless telephone employing a predetermined frame length, comprising:
- a slot monitoring module adapted to identify active slots in a frame; and a frequency selection module adapted to determine a duration of carrier usage based on durations of numbers of said active slots.
- 10. (Previously Presented) A device in accordance with claim 9, said predetermined frame length having a duration about ten milliseconds.
- 11. (Previously Presented) A device in accordance with claim 10, said slots comprising transmit and receive slots each having a duration of 833 microseconds.
- 12. (Previously Presented) A method for <u>use in frequency selection</u> in a frequency hopping cordless telephone system employing a predetermined frame length, comprising:

identifying a number of active slots in a frame; and

determining a duration of carrier usage based on total durations of said number of active slots.

- (Previously Presented) A method in accordance with claim 12, said 13. predetermined frame length having a duration about ten milliseconds.
- 14. (Previously Presented) A method in accordance with claim 13, said slots comprising transmit and receive slots each having a duration of 833 microseconds.
- (Previously Presented) A method in accordance with claim 14, further 15. comprising limiting a use of a particular carrier to less than 400 milliseconds every thirty seconds.
 - 16. (Previously Presented) A cordless telephone system, comprising: a fixed station including a frequency select module and a slot monitor module: and

a mobile station:

6509684517

wherein the fixed station and the mobile station communicate according to a frequency hopping scheme with frequencies chosen by said frequency select module with input from said slot monitor module, said slot monitor module providing said frequency select module with a count of a number of active slots being sent per frame.

- (Previously Presented) A cordless telephone system in accordance with 17. claim 16, wherein a frame length of said frame has a duration about ten milliseconds.
- 18. (Previously Presented) A cordless telephone system in accordance with claim 17, said slots comprising transmit and receive slots each having a duration of 833 microseconds.
 - (Previously Presented) A cordless telephone system in accordance with 19.

claim 18, further comprising limiting a use of a particular carrier to less than 400 milliseconds every thirty seconds.

20. (Currently Amended) A cordless telephone system in accordance with claim 16, wherein a duration of use of a carrier frequency is used is based on a duration of said number of active slots.